INDEX OF AUTHORS AND PAPERS TO VOLUME 157

Aarts, J., see G.N.A. van Veen 157 (1989) 99
Adachi, H. and M. Takano, Cluster model investigation of the electronic state and chemical bond in cuprous and cupric oxide 157 (1989) 169
Akinaga, H., see Y. Takeda 157 (1989) 358
Akis, R. and J.P. Carbotte, On the specific heat of strong coupling superconductors 157 (1989) 395
Allenspach, P., A. Furrer, P. Brüesch, R. Marsolais and P. Unternährer, A neutron spectroscopic comparison of the crystalline electric field in tetragonal $HoBa_2Cu_3O_{6.2}$ and orthorhombic $HoBa_2Cu_3O_{6.8}$ 157 (1989) 58
Allgeier, C., J. Heise, W. Reith, J.S. Schilling and K. Andres, Magnetization studies of the high temperature superconductors La_2CuO_{4-y} and $YBa_2Cu_3O_{7-y}$ under hydrostatic pressure 157 (1989) 293
Ando, Y., see S. Kondoh 157 (1989) 469
Andres, K., see C. Allgeier 157 (1989) 293
Andrikidis, C., see D.M. Eagles 157 (1989) 48
Aoki, R., see R. Liang 157 (1989) 83
Asano, H., see F. Izumi 157 (1989) 89
Asano, H., see H. Maeda 157 (1989) 483
Ashkenazi, Y., see J. Genossar 157 (1989) 320
Askew, T.R., see M.A. Subramanian 157 (1989) 124

Baar, D.J. and J.P. Harrison, Flux dynamics in a sintered bulk high temperature superconductor 157 (1989) 215
Bakker, H., J.P.A. Westerveld, D.M.R. Lo Cascio and D.O. Welch, Theory of oxygen content, ordering and kinetics in 1,2,3 high-temperature superconductors 157 (1989) 25
Baller, T.S., see G.N.A. van Veen 157 (1989) 99
Bamba, N., see H. Maeda 157 (1989) 483
Bando, Y., see Y. Takeda 157 (1989) 358
Bando, Y., see J.S. Tsai 157 (1989) 537
Beech, F., see R.J. Cava 157 (1989) 272
Beille, J., G. Demazeau, H. Dupendant, J. Etourneau, P. Lejay, A. Sulpice and R. Tournier, Susceptibility and antiferromagnetic order under hydrostatic and quasihydrostatic pressure in sintered $La_2Cu_xO_{4-y}$ 157 (1989) 446
Bill, H., see D. Shaltiel 157 (1989) 240
Blazey, K.W., A.M. Portis and F.H. Holtzberg, Fluxon nucleation by microwave currents in Josephson junctions 157 (1989) 16
Boehme, D.R., see K.F. McCarty 157 (1989) 135
Böhm, P., see F. Seidler 157 (1989) 375
Bombik, A., S.Z. Korczak, W. Korczak, P. Mazurek, A.W. Pacyna, M. Subotowicz and K.I. Wysokiński, Magnetic and microwave studies of BiSrCaCu oxide superconductors 157 (1989) 251
Bourdillon, A.J., see H.K. Liu 157 (1989) 93
Bourgault, D., see C. Martin 157 (1989) 460

Boutellier, R., see B.N. Sun 157 (1989) 189
Boyes, E.D., see M.A. Subramanian 157 (1989) 124
Braun, E., see F. Seidler 157 (1989) 375
Braunisch, W., see F. Seidler 157 (1989) 375
Brüesch, P., see P. Allenspach 157 (1989) 58
Bucher, B., J. Karpinski, E. Kaldis and P. Wachter, Strong pressure dependence of T_c of the new 80 K phase $YBa_2Cu_4O_{8+x}$ 157 (1989) 478
Burkhardt, E., see H. Schmid 157 (1989) 555

Calzona, V., M.R. Cimberle, C. Ferdeghini, M. Putti and A.S. Siri, AC susceptibility and magnetization of high-T_c superconductors: critical state model for the intergranular region 157 (1989) 425
Capone II, D.W., see Y.S. Yao 157 (1989) 247
Capponi, J.J., see E.A. Hewat 157 (1989) 502
Capponi, J.J., see E.A. Hewat 157 (1989) 509
Carbotte, J.P., see R. Akis 157 (1989) 395
Carrera, M., X. Granados, J. Fontcuberta, M. Vallet and J.M. González-Calbet, Twins, electron–phonon coupling and fluctuations in $Y_{0.5}Sm_{0.5}Ba_2Cu_3O_{7-y}$ 157 (1989) 285
Cava, R.J., M. Marezio, J.J. Krajewski, W.F. Peck Jr., A. Santoro and F. Beech, Neutron powder diffraction study of $Pb_2Sr_2YCu_3O_8$, the prototype of a new family of superconductors 157 (1989) 272
Cava, R.J., see E.A. Hewat 157 (1989) 509
Chaillout, C., see E.A. Hewat 157 (1989) 228
Chaillout, C., see E.A. Hewat 157 (1989) 509
Chen, K.Y., Z.M. Tang and Y.J. Qian, The behavior of bulk $YBa_2Cu_3O_{7-x}$ dissipative state 157 (1989) 164
Cimberle, M.R., see V. Calzona 157 (1989) 425
Costa, J.L., see Y. Zhang 157 (1989) 108
Crabtree, G.W., see A.J. Schultz 157 (1989) 301

Decroux, M., see D. Shaltiel 157 (1989) 240
De Groot, P.A.J., see S.B. Ota 157 (1989) 520
Demazeau, G., see J. Beille 157 (1989) 446
De Padova, P., see P. Kuiper 157 (1989) 260
De Vries, J.W.C., G.M. Stollman and M.A.M. Gijs, Analysis of the critical current density in high-T_c superconducting films 157 (1989) 406
Domengès, B., see C. Martin 157 (1989) 460
Dou, S.X., see H.K. Liu 157 (1989) 93
Drzazga, Z., see F. Seidler 157 (1989) 375
Dupendant, H., see J. Beille 157 (1989) 446
Durčok, S., see N. Nevřiva 157 (1989) 334

Eagles, D.M., R.J. Tainsh and C. Andrikidis, Evidence for pairing without superconductivity from resistance between 130 mK and 70 mK in a specimen of ceramic Zr-doped $SrTiO_3$ 157 (1989) 48
Ekin, J.W., see R.L. Peterson 157 (1989) 325
Etourneau, J., see J. Beille 157 (1989) 446

Fang, Z., see Y. Zhang 157 (1989) 108
Farneth, W.E., see M.A. Subramanian 157 (1989) 124
Felner, I., see F. Seidler 157 (1989) 375
Ferdeghini, C., see V. Calzona 157 (1989) 425
Ferrell, R.A., Surface resistance of small superconducting spheres 157 (1989) 1
Fisher, B., see J. Genossar 157 (1989) 320
Flippen, R.B., see M.A. Subramanian 157 (1989) 124
Flipse, C.F.J., see G.N.A. van Veen 157 (1989) 99
Fontcuberta, J., see M. Carrera 157 (1989) 285
Fuertes, A., C. Miravitlles, J. Gonzalez-Calbet, M. Vallet-Regi, X. Obradors and J. Rodriguez-Carvajal, The tubular crystal structure of the new phase $Bi_4Sr_8Cu_5O_{19+x}$ related to the superconducting perovskites 157 (1989) 525
Fujii, H., see T. Takabatake 157 (1989) 263
Fujita, J., see J.S. Tsai 157 (1989) 537
Fujita, T., see T. Oashi 157 (1989) 315
Furrer, A., see P. Allenspach 157 (1989) 58

Gai, P.L., see M.A. Subramanian 157 (1989) 124
Gasparov, L.V., V.D. Kulakowskii, O.V. Misochko and V.B. Timofeev, Manifestation of the orthorhombic symmetry in Raman spectra of untwinned single crystals of $YBa_2Cu_3O_{7-x}$ 157 (1989) 341
Genossar, J., B. Fisher, I.O. Lelong, Y. Ashkenazi and L. Patlagan, On the normal state resistivity and thermoelectric power of $YBa_2Cu_3O_x$: experiments and interpretation 157 (1989) 320
Gerdanian, P., C. Picard and J.F. Marucco, Thermodynamics of $YBa_2Cu_3O_z$ 157 (1989) 180
Gershanov, Yu., see E. Meilikhov 157 (1989) 431
Geus, H., see F. Seidler 157 (1989) 375
Gijs, M.A.M., see J.W.C. de Vries 157 (1989) 406
Ginley, D.S., see K.F. McCarty 157 (1989) 135
Ginley, D.S., see J.E. Schirber 157 (1989) 237
Godinho, M., see E.A. Hewat 157 (1989) 228
Gonzalez-Calbet, J., see A. Fuertes 157 (1989) 525
González-Calbet, J.M., see M. Carrera 157 (1989) 285
Goodenough, J.B. and A. Manthiram, Evidence for some suppression of magnetic moments in superconductive copper oxides 157 (1989) 439
Gopalakrishnan, I.K., see P.V.P.S.S. Sastry 157 (1989) 491
Gopalakrishnan, J., see C.C. Torardi 157 (1989) 115
Gopalakrishnan, J., see M.A. Subramanian 157 (1989) 124
Gorius, M.F., see E.A. Hewat 157 (1989) 228
Granados, X., see M. Carrera 157 (1989) 285
Greenblatt, M., see S. Li 157 (1989) 365
Griessen, R., see G.N.A. van Veen 157 (1989) 99
Griessen, R.P., see C.W. Hagen 157 (1989) 199
Grioni, M., see P. Kuiper 157 (1989) 260
Groen, W.A., see S. Olivier 157 (1989) 531
Guan, W.Y., see B. Zhu 157 (1989) 370
Guertin, R.P., see Y.S. Yao 157 (1989) 247
Guo, S.-Q., see G.N.A. van Veen 157 (1989) 99
Gupta, H.C., Phonons in high-T_c $CaBi_2Sr_2Cu_2O_8$ 157 (1989) 257

Hadjiev, V.G., see M.N. Iliev 157 (1989) 495
Hagemann, H., see D. Shaltiel 157 (1989) 240
Hagen, C.W., see G.N.A. van Veen 157 (1989) 99
Hagen, C.W., R.P. Griessen and E. Salomons, Thermally activated flux motion in high-T_c superconductors: an analytical model 157 (1989) 199
Harrison, J.P., see D.J. Baar 157 (1989) 215
Hasegawa, Y., see M. Itoh 157 (1989) 65
Heise, J., see C. Allgeier 157 (1989) 293
Hervieu, M., see C. Martin 157 (1989) 460
Hewat, E.A., C. Chaillout, M. Godinho, M.F. Gorius and M. Marezio, Electron beam induced superstructure in $Ba_{1-x}K_xBiO_{3-y}$ 157 (1989) 228
Hewat, E.A., J.J. Capponi and M. Marezio, A model for the superstructure of $Bi_2Sr_2CaCu_2O_{8.2}$ 157 (1989) 502
Hewat, E.A., J.J. Capponi, R.J. Cava, C. Chaillout, M. Marezio and J.L. Tholence, Electron microscopy of superconducting $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_8$ 157 (1989) 509
Hinks, D.G., see Y.S. Yao 157 (1989) 247
Hirabayashi, M., see R. Sugise 157 (1989) 131
Hiroi, Z., see Y. Takeda 157 (1989) 358
Holba, P., see N. Nevřiva 157 (1989) 334
Holtzberg, F.H., see K.W. Blazey 157 (1989) 16
Hulliger, F., see A. Schilling 157 (1989) 144

Ichihashi, T., see Y. Shimakawa 157 (1989) 279
Igarashi, H., see Y. Shimakawa 157 (1989) 279
Ihara, H., see R. Sugise 157 (1989) 131
Iijima, K., see J.S. Tsai 157 (1989) 537
Iijima, S., see Y. Shimakawa 157 (1989) 279
Iliev, M.N. and V.G. Hadjiev, Polarized Raman scattering from Bi-based HTS single crystals and its relation to the lattice dynamics of Y-123 compounds 157 (1989) 495
Inoue, J., M. Miyazaki and S. Maekawa, Density of states of a hole in the half-filled Hubbard model 157 (1989) 209
Itoh, M., Y. Hasegawa, H. Yasuoka, Y. Ueda and K. Kosuge, ^{7}Li NMR in the superconducting $Li_{1+x}Ti_{2-x}O_4$ spinel compounds 157 (1989) 65
Itoh, M., see R. Liang 157 (1989) 83
Iyer, R.M., see P.V.P.S.S. Sastry 157 (1989) 491
Izumi, F., E. Takayama-Muromachi, Y. Nakai and H. Asano, Structure refinement of $La_{1.9}Ca_{1.1}Cu_2O_6$ with neutron powder diffraction data 157 (1989) 89
Izumi, F., see H. Maeda 157 (1989) 483

Jacak, L., see P. Wróbel 157 (1989) 221
Jayaram, B., see S.B. Ota 157 (1989) 520
Jo, M., see R. Sugise 157 (1989) 131
Junod, A., see D. Shaltiel 157 (1989) 240

Kaldis, E., see B. Bucher 157 (1989) 478
Kamitsos, E.I., see E. Liarokapis 157 (1989) 551
Kanno, R., see Y. Takeda 157 (1989) 358

Kapitulnik, A., see P. Kuiper 157 (1989) 260
Karpinski, J., see B. Bucher 157 (1989) 478
Kawanaka, H., see T. Takabatake 157 (1989) 263
Kitaguchi, H., J. Takada, K. Oda, A. Osaka, Y. Miura, Y. Tomii, H. Mazaki and M. Takano, Magnetic suspension of a Bi, Pb–Sr–Ca–Cu–O superconductor due to the Meissner effect 157 (1989) 267
Kogure, T., A. Otto and J.B. vander Sande, Formation of $Yb_nBa_{2n}Cu_{3n+1}O_x$ ($n=3, 4$) by oxidation of Yb–Ba–Cu–Ag metallic precursors 157 (1989) 159
Kogure, T., A. Otto and J.B. vander Sande, Microstructure of $Yb_2Ba_4Cu_7O_xAg$ composites produced by oxidizing metallic procursors 157 (1989) 351
Koizumi, A., see H. Maeda 157 (1989) 483
Kondoh, S., M. Sera, Y. Ando and M. Sato, Normal state properties and oxygen isotope effect of $(Ba,K)BiO_3$ 157 (1989) 469
Korczak, S.Z., see A. Bombik 157 (1989) 251
Korczak, W., see A. Bombik 157 (1989) 251
Kosuge, K., see M. Itoh 157 (1989) 65
Krajewski, J.J., see R.J. Cava 157 (1989) 272
Kubo, Y., see Y. Shimakawa 157 (1989) 279
Kuiper, P., M. Grioni, G.A. Sawatzky, D.B. Mitzi, A. Kapitulnik, A. Santaniello, P. De Padova and P. Thiry, Symmetry of the oxygen hole states in $Bi_2Sr_2CaCu_2O_8$ investigated by XAS 157 (1989) 260
Kulakowskii, V.D., see L.V. Gasparov 157 (1989) 341
Kumagai, K. and Y. Nakamura, Evidence of magnetic order of Cu moments in the superconducting and normal region of $La_{2-x}Sr_xCuO_4$: observation of Cu-NQR for $0.12 \leqq x \leqq 0.40$ 157 (1989) 307
Kumagai, K., see T. Oashi 157 (1989) 315
Kumagai, K., see N. Wada 157 (1989) 453
Kuroda, Y., see H. Maeda 157 (1989) 483
Kwok, W.-K., see A.J. Schultz 157 (1989) 301

Lam, D.J., see A.J. Schultz 157 (1989) 301
Lanchester, P.C., see S.B. Ota 157 (1989) 520
Langmann, E., see W. Pint 157 (1989) 415
Lee, B.S., Anharmonicities and cooperative Jahn–Teller phase transitions in the high-T_c superconductors $La_{2-x}M_xCuO_4$ (M=Sr, Ba) 157 (1989) 72
Lei, L., see B. Zhu 157 (1989) 370
Lejay, P., see J. Beille 157 (1989) 446
Lelong, I.O., see J. Genossar 157 (1989) 320
Lensink, J.G., see G.N.A. van Veen 157 (1989) 99
Leventouri, Th., see E. Liarokapis 157 (1989) 551
Li, S. and M. Greenblatt, Preparation and superconducting properties of (Tl, Bi)$Sr_2CaCu_2O_y$ 157 (1989) 365
Liang, R., M. Itoh, T. Nakamura and R. Aoki, The effect of La substitution on the superconductivity of $Ba_2YCu_3O_y$ 157 (1989) 83
Liarokapis, E., E.I. Kamitsos, Th. Leventouri and F.D. Medina, Raman and far-infrared reflectance investigation of microcrystal orientation in $YBa_2Cu_3O_{7-\delta}$ superconductors 157 (1989) 551
Liu, H.K., S.X. Dou, N. Savvides, J.P. Zhou, N.X. Tan, A.J. Bourdillon and C.C. Sorrell, Stabilisation of 110 K superconducting phase in Bi–Sr–Ca–Cu–O Pb substitution 157 (1989) 93

Liu, J.Z., see A.J. Schultz 157 (1989) 301
Lo Cascio, D.M.R., see H. Bakker 157 (1989) 25
Loong, C.-K., see A.J. Schultz 157 (1989) 301

Machida, K. and M. Ozaki, Superconductivity in UPt_3 157 (1989) 53
Maeda, H., A. Koizumi, N. Bamba, E. Takayama-Muromachi, F. Izumi, H. Asano, K. Shimizu, H. Moriwaki, H. Maruyama, Y. Kuroda and H. Yamazaki, EXAFS and neutron diffraction studies of local and average structures for $YBa_2Cu_{2.8}Zn_{0.2}O_{7-\delta}$ 157 (1989) 483
Maekawa, S., see J. Inoue 157 (1989) 209
Manako, T., see Y. Shimakawa 157 (1989) 279
Manthiram, A., see J.B. Goodenough 157 (1989) 439
Marezio, M., see E.A. Hewat 157 (1989) 228
Marezio, M., see R.J. Cava 157 (1989) 272
Marezio, M., see E.A. Hewat 157 (1989) 502
Marezio, M., see E.A. Hewat 157 (1989) 509
Marinelli, M., G. Morpurgo and G.L. Olcese, Diamagnetism of powder and bulk superconducting YBCO measured with a new magnetic levitometer 157 (1989) 149
Marsolais, R., see P. Allenspach 157 (1989) 58
Martin, C., J. Provost, D. Bourgault, B. Domengès, C. Michel, M. Hervieu and B. Raveau, Structural peculiarities of the "1212" superconductor $Tl_{0.5}Pb_{0.5}Sr_2CaCu_2O_7$ 157 (1989) 460
Marucco, J.F., see P. Gerdanian 157 (1989) 180
Maruyama, H., see H. Maeda 157 (1989) 483
Mazaki, H., see H. Kitaguchi 157 (1989) 267
Mazurek, P., see A. Bombik 157 (1989) 251
McCarty, K.F., B. Morosin, D.S. Ginley and D.R. Boehme, Raman analysis of Tl-$Ca_2Ba_2Cu_3O_{19}$ and $Tl_2Ca_2Ba_2Cu_3O_{10}$ crystals 157 (1989) 135
Medelius, H., see Y. Zhang 157 (1989) 108
Medina, F.D., see E. Liarokapis 157 (1989) 551
Meilikhov, E. and Yu. Gershanov, Percolation model of ceramic high-T_c superconductors. Critical current and current–voltage characteristic 157 (1989) 431
Michel, C., see C. Martin 157 (1989) 460
Mila, F. and T.M. Rice, Analysis of magnetic resonance experiments in $YBa_2Cu_3O_7$ 157 (1989) 561
Minamigawa, S., see T. Takabatake 157 (1989) 263
Miravitlles, C., see A. Fuertes 157 (1989) 525
Misochko, O.V., see L.V. Gasparov 157 (1989) 341
Mitzi, D.B., see P. Kuiper 157 (1989) 260
Miura, S., see J.S. Tsai 157 (1989) 537
Miura, Y., see H. Kitaguchi 157 (1989) 267
Miyazaki, M., see J. Inoue 157 (1989) 209
Moriwaki, H., see H. Maeda 157 (1989) 483
Morosin, B., see K.F. McCarty 157 (1989) 135
Morosin, B., see J.E. Schirber 157 (1989) 237
Morpurgo, G., see M. Marinelli 157 (1989) 149
Muhammed, M., see Y. Zhang 157 (1989) 108
Muro-Oka, H., see N. Wada 157 (1989) 453

Nakai, Y., see F. Izumi 157 (1989) 89
Nakajima, Y., see T. Oashi 157 (1989) 315

Nakamura, T., see R. Liang 157 (1989) 83
Nakamura, Y., see K. Kumagai 157 (1989) 307
Nakamura, Y., see N. Wada 157 (1989) 453
Nevřiva, N., P. Holba, S. Durčok, D. Zemanová, E. Pollert and A. Tříska, On the melt equilibria in the Y–Ba–Cu–(O) system 157 (1989) 334
Newns, D.M., see P.C. Pattnaik 157 (1989) 13
Novák, J., P. Vyhlídka, D. Zemanová, E. Pollert and A. Tříska, Determination of the peroxidic oxygen and total oxygen stoichiometry in $YBa_2Cu_3O_{7-x}$ 157 (1989) 346

Oashi, T., K. Kumagai, Y. Nakajima, T. Tomita and T. Fujita, Observation of Cu-NQR in $Bi_2Sr_2(Ca_{1-x}Y_x)Cu_2O_{8+\delta}$ 157 (1989) 315
Obara, H., K. Uchinokura and S. Tanaka, Fluctuation-induced diamagnetism above T_c in Nb/Si superconductive multilayers 157 (1989) 37
Obradors, X., see A. Fuertes 157 (1989) 525
Oda, K., see H. Kitaguchi 157 (1989) 267
Olcese, G.L., see M. Marinelli 157 (1989) 149
Olivier, S., W.A. Groen, C. van der Beek and H.W. Zandbergen, On the solid solutions in the systems $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ $Bi_2Sr_{2-x}La_xYCu_2O_{8+\delta}$ and $Bi_2Sr_2Y_{1-x}Ce_xCu_2O_{8+\delta}$ 157 (1989) 531
Orimo, S., see T. Takabatake 157 (1989) 263
Osaka, A., see H. Kitaguchi 157 (1989) 267
Ota, S.B., R.A. Rose, B. Jayaram, P.A.J. de Groot and P.C. Lanchester, Signature of possible vortex lattice melting in magnetic hysteresis of high-T_c $Bi_2Sr_2CaCu_2O_{8+x}$ 157 (1989) 520
Ott, H.R., see A. Schilling 157 (1989) 144
Otto, A., see T. Kogure 157 (1989) 159
Otto, A., see T. Kogure 157 (1989) 351
Ozaki, M., see K. Machida 157 (1989) 53

Pacyna, A.W., see A. Bombik 157 (1989) 251
Parise, J.B., see C.C. Torardi 157 (1989) 115
Patlagan, L., see J. Genossar 157 (1989) 320
Pattnaik, P.C. and D.M. Newns, Estimate of electron–phonon coupling constant in high-T_c superconductors 157 (1989) 13
Peck Jr., W.F., see R.J. Cava 157 (1989) 272
Peter, M., see D. Shaltiel 157 (1989) 240
Peterson, R.L. and J.W. Ekin, Airy pattern, weak-link modeling of critical currents in high-T_c superconductors 157 (1989) 325
Picard, C., see P. Gerdanian 157 (1989) 180
Pint, W., E. Langmann and E. Schachinger, The critical temperature of superconductors with a cylinder symmetrical Fermi surface 157 (1989) 415
Pollert, E., see N. Nevřiva 157 (1989) 334
Pollert, E., see J. Novák 157 (1989) 346
Portis, A.M., see K.W. Blazey 157 (1989) 16
Prohammer, M., Effective mass model-superconductors with anisotropic electron–phonon interaction 157 (1989) 4
Provost, J., see C. Martin 157 (1989) 460
Putti, M., see V. Calzona 157 (1989) 425

Qian, Y.J., see K.Y. Chen 157 (1989) 164

Rajagopal, H., see A. Sequeira 157 (1989) 515
Rao, K.V., see Y. Zhang 157 (1989) 108
Raveau, B., see C. Martin 157 (1989) 460
Ravi Sekhar, Y., see D. Shaltiel 157 (1989) 240
Reith, W., see C. Allgeier 157 (1989) 293
Rice, M.J. and Y.R. Wang, Interpretation of $Ba_{1-x}K_xBiO_3$ as a doped Peierls insulator 157 (1989) 192
Rice, T.M., see F. Mila 157 (1989) 561
Rivera, J.-P., see H. Schmid 157 (1989) 555
Roden, B., see F. Seidler 157 (1989) 375
Rodriguez-Carvajal, J., see A. Fuertes 157 (1989) 525
Rose, R.A., see S.B. Ota 157 (1989) 520

Salomons, E., see C.W. Hagen 157 (1989) 199
Santaniello, A., see P. Kuiper 157 (1989) 260
Santoro, A., see R.J. Cava 157 (1989) 272
Sasakura, H., see T. Takabatake 157 (1989) 263
Sastry, P.V.P.S.S., I.K. Gopalakrishnan, J.V. Yakhmi and R.M. Iyer, Zero resistance at 120 K in Bi(Pb)–Ca–Sr–Cu oxide 157 (1989) 491
Sato, M., see S. Kondoh 157 (1989) 469
Satoh, T., see Y. Shimakawa 157 (1989) 279
Savvides, N., see H.K. Liu 157 (1989) 93
Sawatzky, G.A., see P. Kuiper 157 (1989) 260
Schachinger, E., see W. Pint 157 (1989) 415
Schilling, A., H.R. Ott and F. Hulliger, The influence of the oxygen concentration on T_c of $TlBa_2Ca_2Cu_3O_x$ 157 (1989) 144
Schilling, J.S., see C. Allgeier 157 (1989) 293
Schirber, J.E., B. Morosin and D.S. Ginley, Effect of pressure on the superconducting transition temperature of $Ba_{1-x}K_xBiO_3$ 157 (1989) 237
Schmid, H., see B.N. Sun 157 (1989) 189
Schmid, H., E. Burkhardt, B.N. Sun and J.-P. Rivera, Uniaxial stress induced ferroelastic detwinning of $YBa_2Cu_3O_{7-\delta}$ 157 (1989) 555
Schmidt, H., see F. Seidler 157 (1989) 375
Schnelle, W., see F. Seidler 157 (1989) 375
Schultz, A.J., C.-K. Loong, J.Z. Liu, W.-K. Kwok, G.W. Crabtree and D.J. Lam, Single-crystal neutron studies of $La_{1.7}Sr_{0.16}Pb_{0.14}CuO_4$ and $La_{1.7}Sr_{0.3}CuO_4$ 157 (1989) 301
Seidler, F., P. Böhm, H. Geus, W. Braunisch, E. Braun, W. Schnelle, Z. Drzazga, N. Wild, B. Roden, H. Schmidt, D. Wohlleben, I. Felner and Y. Wolfus, Nature of the specific heat anomaly in the Bi and Tl high temperature superconductors 157 (1989) 375
Sequeira, A., H. Rajagopal and J.V. Yakhmi, On the coordination of bismuth in $Bi_2CaSr_2Cu_2O_8$ – A2aa/Amaa structures revisited 157 (1989) 515
Sera, M., see S. Kondoh 157 (1989) 469
Shaltiel, D., H. Bill, M. Decroux, H. Hagemann, A. Junod, M. Peter, Y. Ravi Sekhar, G. Triscone, E. Walker, Y.F. Yan and Z.X. Zhao, Observation of ESR in the Bi high-T_c superconductors 157 (1989) 240
Shimada, M., see Y. Takeda 157 (1989) 358
Shimakawa, Y., Y. Kubo, T. Manako, T. Satoh, S. Iijima, T. Ichihashi and H. Igarashi, Variation in T_c structure and oxygen content in $Tl_2Ba_2CuO_6$ and their correlations 157 (1989) 279

Shimizu, K., see H. Maeda 157 (1989) 483
Shimomura, T., see R. Sugise 157 (1989) 131
Siri, A.S., see V. Calzona 157 (1989) 425
Skumryev, V., see Y. Zhang 157 (1989) 108
Sleight, A.W., see C.C. Torardi 157 (1989) 115
Sleight, A.W., see M.A. Subramanian 157 (1989) 124
Sorrell, C.C., see H.K. Liu 157 (1989) 93
Stollman, G.M., see J.W.C. de Vries 157 (1989) 406
Subotowicz, M., see A. Bombik 157 (1989) 251
Subramanian, M.A., see C.C. Torardi 157 (1989) 115
Subramanian, M.A., J. Gopalakrishnan, C.C. Torardi, P.L. Gai, E.D. Boyes, T.R. Askew, R.B. Flippen, W.E. Farneth and A.W. Sleight, Superconductivity near liquid nitrogen temperature in the Pb–Sr–R–Ca–Cu–O system (R=Y or rare earth) 157 (1989) 124
Sugise, R., M. Hirabayashi, N. Terada, M. Jo, T. Shimomura and H. Ihara, The formation process of a new high-T_c superconductor, $TlBa_2Ca_4Cu_5O_y$, with five Cu–O layers 157 (1989) 131
Sulpice, A., see J. Beille 157 (1989) 446
Sun, B.N., R. Boutellier and H. Schmid, Growth spirals on single crystals of $YBa_2Cu_3O_{7-x}$ 157 (1989) 189
Sun, B.N., see H. Schmid 157 (1989) 555

Tainsh, R.J., see D.M. Eagles 157 (1989) 48
Takabatake, T., W. Ye, S. Orimo, H. Kawanaka, H. Fujii, H. Sasakura and S. Minamigawa, Enhancement of superconductivity in $Bi_2Sr_2CaCu_2O_{8+\delta}$ by hydrogen intercalation 157 (1989) 263
Takada, J., see H. Kitaguchi 157 (1989) 267
Takano, M., see H. Adachi 157 (1989) 169
Takano, M., see H. Kitaguchi 157 (1989) 267
Takano, M., see Y. Takeda 157 (1989) 358
Takayama-Muromachi, E., see F. Izumi 157 (1989) 89
Takayama-Muromachi, E., see H. Maeda 157 (1989) 483
Takeda, Y., R. Kanno, O. Yamamoto, M. Takano, Z. Hiroi, Y. Bando, M. Shimada, H. Akinaga and K. Takita, Structure and properties of $YBaSrCu_3O_y$ (y=6.2–7.3) 157 (1989) 358
Takeuchi, I., see J.S. Tsai 157 (1989) 537
Takita, K., see Y. Takeda 157 (1989) 358
Tan, N.X., see H.K. Liu 157 (1989) 93
Tanaka, S., see H. Obara 157 (1989) 37
Tang, S.B., see B. Zhu 157 (1989) 370
Tang, Z.M., see K.Y. Chen 157 (1989) 164
Terada, N., see R. Sugise 157 (1989) 131
Terashima, T., see J.S. Tsai 157 (1989) 537
Thiry, P., see P. Kuiper 157 (1989) 260
Tholence, J.L., see E.A. Hewat 157 (1989) 509
Timofeev, V.B., see L.V. Gasparov 157 (1989) 341
Tomii, Y., see H. Kitaguchi 157 (1989) 267
Tomita, T., see T. Oashi 157 (1989) 315
Torardi, C.C., J.B. Parise, M.A. Subramanian, J. Gopalakrishnan and A.W. Sleight, Oxygen nonstoichiometry in copper–oxide based superconductors and related systems: structure of nonsuperconducting $Bi_2Sr_{3-x}Y_xCu_2O_{8+y}$ ($x\sim$0.6–1.0) 157 (1989) 115

Torardi, C.C., see M.A. Subramanian 157 (1989) 124
Tournier, R., see J. Beille 157 (1989) 446
Triscone, G., see D. Shaltiel 157 (1989) 240
Tříska, A., see N. Nevřiva 157 (1989) 334
Tříska, A., see J. Novák 157 (1989) 346
Tsai, J.S., I. Takeuchi, J. Fujita, S. Miura, T. Terashima, Y. Bando, K. Iijima and K. Yamamoto, Tunneling study of clean and oriented Y–Ba–Cu–O and Bi–Sr–Ca–Cu–O surfaces 157 (1989) 537

Uchinokura, K., see H. Obara 157 (1989) 37
Ueda, Y., see M. Itoh 157 (1989) 65
Unternährer, P., see P. Allenspach 157 (1989) 58

Vallet, M., see M. Carrera 157 (1989) 285
Vallet-Regi, M., see A. Fuertes 157 (1989) 525
Van der Beek, C., see S. Olivier 157 (1989) 531
Vander Sande, J.B., see T. Kogure 157 (1989) 159
Vander Sande, J.B., see T. Kogure 157 (1989) 351
Van Ingen, R.P., see G.N.A. van Veen 157 (1989) 99
Van Veen, G.N.A., R.P. van Ingen, T.S. Baller, J. Aarts, S.-Q. Guo, C.F.J. Flipse, J.G. Lensink, C.W. Hagen and R. Griessen, Properties of Bi–Sr–Ca–Cu oxide films produced by laser ablation deposition 157 (1989) 99
Vyhlídka, P., see J. Novák 157 (1989) 346

Wachter, P., see B. Bucher 157 (1989) 478
Wada, N., H. Muro-Oka, Y. Nakamura and K. Kumagai, Observation of static magnetic moment on the copper site in superconducting $La_{2-x}Sr_xCuO_4$: the nuclear heat capacity measurement 157 (1989) 453
Walker, E., see D. Shaltiel 157 (1989) 240
Wang, W., see B. Zhu 157 (1989) 370
Wang, Y.R., see M.J. Rice 157 (1989) 192
Welch, D.O., see H. Bakker 157 (1989) 25
Westerveld, J.P.A., see H. Bakker 157 (1989) 25
Wild, N., see F. Seidler 157 (1989) 375
Wohlleben, D., see F. Seidler 157 (1989) 375
Wolfus, Y., see F. Seidler 157 (1989) 375
Wróbel, P. and L. Jacak, Coexistence of superconductivity and antiferromagnetism in the Hubbard model: a phase diagram for finite temperature 157 (1989) 221
Wysokiński, K.I., see A. Bombik 157 (1989) 251

Yakhmi, J.V., see P.V.P.S.S. Sastry 157 (1989) 491
Yakhmi, J.V., see A. Sequeira 157 (1989) 515
Yamamoto, K., see J.S. Tsai 157 (1989) 537
Yamamoto, O., see Y. Takeda 157 (1989) 358
Yamazaki, H., see H. Maeda 157 (1989) 483
Yan, Y.F., see D. Shaltiel 157 (1989) 240
Yao, Y.S., R.P. Guertin, D.W. Capone II and D.G. Hinks, Upper critical field of the pressure induced superconductor $BaMo_6S_8$ 157 (1989) 247

Yasuoka, H., see M. Itoh 157 (1989) 65
Ye, W., see T. Takabatake 157 (1989) 263
Yuan, S.L., see B. Zhu 157 (1989) 370

Zandbergen, H.W., see S. Olivier 157 (1989) 531
Zemanová, D., see N. Nevřiva 157 (1989) 334
Zemanová, D., see J. Novák 157 (1989) 346
Zhang, Y., Z. Fang, M. Muhammed, K.V. Rao, V. Skumryev, H. Medelius and J.L. Costa, The synthesis of superconducting bismuth compounds via oxalate coprecipitation 157 (1989) 108
Zhao, Z.X., see D. Shaltiel 157 (1989) 240
Zheng, G.G., see B. Zhu 157 (1989) 370
Zheng, J.Q., see B. Zhu 157 (1989) 370
Zhou, J.P., see H.K. Liu 157 (1989) 93
Zhu, B., L. Lei, S.L. Yuan, S.B. Tang, W. Wang, G.G. Zheng, W.Y. Guan and J.Q. Zheng, Superconductivity of Bi–Pb–Sr–Ca–Cu–O compounds 157 (1989) 370

ANALYTIC SUBJECT INDEX TO VOLUME 157*

AC susceptibility
– of $BiSrCaCu_2O_{6-\delta}$ 108
Airy pattern 325
Anharmonicity 72
Anisotropic band structure 415
Anisotropic superconductors 4
Anisotropy gap in Y–Ba–Cu–O 537
Antiferromagnetic fluctuations 315

Bandstructure
– Nd_2CuO_4 571
BCS theory for high T_c 415
Bi–O chains 115
Bi–O layers 257
Bi–O planes 515, 525, 531
Bi–Sr–Ca–Cu–O
– Pb substituted 93
Bi oxides
– synthesis 108
Bipolaron mechanism 478
Bismuth coordination 515
Bose gas 48

Charge redistribution in CuO_2 planes 58
Coexistence of superconductivity and antiferromagnetism 53, 221, 446
Coexistence of superconductivity and magnetic order 307
Covalency in Cu–O bond 169
Critical current density
– in Bi–Sr–Ca–Cu oxide films 99
– thin films 406
Critical current in granular superconductor 325
Critical fluctuations
– in $Y_{0.5}Sm_{0.5}Ba_2Cu_3O_{7-\delta}$ 285
Crystal-field splitting
– in $HoBa_2Cu_3O_x$ 58
Cu–O bounds 495
Cu–O chain ordering 358
Cu–O hybridization 561
Cu–O layers
– in Tl oxides 131, 135
Cu–O planes 439, 446, 525
– cluster calculation 169
Current–voltage characteristics 431
– at $T \lesssim T_c$ 164, 199
Cu-valence fluctuations 13

DC susceptibility
– pressure dependence 293
Density of states
– of Cu–O clusters 169
– of Hubbard model 209
– Nd_2CuO_4 571
Diamagnetic screening 1
Diamagnetism
– fluctuation-induced 37
Diffusion in 1,2,3 oxides 25

Electron–phonon interaction 4, 13, 285, 395, 415, 469
– in $Ba_{1-x}K_xBiO_3$ 192
Electron diffraction
– in $Bi_2Sr_{3-x}Y_xCu_2O_{8+y}$ 115
– in $Ba_{1-x}K_xBiO_{3-\delta}$ 228
Electron localisation 439
Eliashberg equations 395
ESR
– in Bi compounds 240
EXAFS
– in $YBa_2Cu_{2.8}Zn_{0.2}O_{7-\delta}$ 483
Excess conductivity 285
Excess Cu–O layers in 1,2,3 compounds 159

Fermi surface
– $Nd_{2-x}Ce_xCuO_4$ 571
Ferroelastic coupling 555
FIR reflectance
– of $YBa_2Cu_3O_{7-\delta}$ 551
Fluctuations above T_c 37
Flux creep 406
Flux depinning 215
Flux dynamics 215
Flux motion
– thermally activated 199
Fluxon nucleation 16
Flux pinning 267

Gibbs free energy 180
Glassy superconductor 251, 431
Grain-boundary phases
– in $YBa_4Cu_7O_x$ 351
Grain-boundary pinning 215
Granular superconductors 16, 406, 425, 431

Growth spirals
– on $YBa_2Cu_3O_{7-\delta}$ 189

Hall coefficient
– in La-doped $YBa_2Cu_3O_x$ 83
Hall effect
– in (Ba,K)BiO_3 469
– in $YBaSrCu_3O_x$ 358
Heavy fermions 53
Holes at Fermi level 260
HREM
– in $Ba_{1-x}K_xBiO_{3-\delta}$ 228
– in $Bi_2Sr_2CaCu_2O_{8.2}$ 502
– in $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_8$ 509
– in $Tl_{0.5}Pb_{0.5}Sr_2CaCu_2O_7$ 460
Hubbard model 209, 221

Inelastic neutron scattering
– in $HoBa_2Cu_3O_x$ 58
Infrared spectroscopy
– of $YBa_2Cu_3O_{7-\delta}$ 346
Interaction distances
– in $La_{1.9}Ca_{1.1}Cu_2O_6$ 89
Interatomic distances
– in Pb–Sr–RE–Ca–Cu oxides 124
Intergranular phase 425
Interstitial oxygen 502
Isotope effect
– in (Ba,K)BiO_3 469
– in $Ba_{1-x}K_xBiO_3$ 192

Jahn–Teller effect 72

Knight shift
– in $YBa_2Cu_3O_7$ 561

Laser ablation deposition 99
Levitation 149, 267
Lower critical field
– of Bi–Sr–Ca–Cu oxide 251

Magnesium relaxation 199
Magnetic interactions mediated by holes 209
Magnetization
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 520
– of $YBa_2Cu_3O_{7-\delta}$ 425
Meissner effect
– in Bi, Pb–Sr–Ca–Cu oxide 267

* To be followed by the Master index to volumes 152–156 (1988 program) available as a single issue.

– in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10+\delta}H_x$ 263
– in $Bi_2Sr_2CaCu_2O_{8+\delta}H_x$ 263
– in $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ 370
– in $BiPb_{0.3}SrCaCu_2O_{5.8}$ 375
– in Pb-substituted Bi oxydes 93
– in $REBa_2Cu_3O_{6.9}$ 375
– in $(Tl,Bi)Sr_2CaCu_2O_y$ 365
– in $Tl_2Ba_2Cu_2O_8$ 375
Metal–insulator transition
– of $La_{1.7}Sr_{0.16}Pb_{0.14}CuO_4$ 301
Microwave absorption 16
– in Bi compounds 251
Modulated structure 460, 502, 509, 531
– in $Ba_{1-x}K_xBiO_{3-\delta}$ 228
– in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ 315
Mott–Hubbart insulator 209
Mott insulator 478
Multilayers 37

Nesting 571
Neutron diffraction
– in $Bi_2CaSr_2Cu_2O_8$ 515
– in $La_{1.7}Sr_{0.16}Pb_{0.14}CuO_4$ 301
– in $La_{1.7}Sr_{0.3}CuO_4$ 301
– in $La_{1.9}Ca_{1.1}Cu_2O_6$ 89
– in $Pb_2Sr_2YCu_3O_8$ 272
– in $YBa_2Cu_{2.8}Zn_{0.2}O_{7-\delta}$ 483
NMR
– in $YBa_2Cu_3O_7$ 561
– of ^7Li in $Li_{1+x}Ti_{2-x}O_4$ 65
NQR
– in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ 315
– in $La_{2-x}Sr_xCuO_4$ 307
Nuclear relaxation
– in $Li_{1+x}Ti_{2-x}O_4$ 65
– theory 561

O–O separation
– in $Bi_2CaSr_2Cu_2O_8$ 515
Odd-parity superconducting state in UPt_3 53
Orthorhombic–tetragonal transition 25
– in $La_{1.7}Sr_{0.16}Pb_{0.14}CuO_4$ 301
– in $La_{1.7}Sr_{0.3}CuO_4$ 301
– in $YBa_2Cu_3O_x$ 180
Oxalate coprecipitation 108
Oxidation activity
– of $YBa_2Cu_3O_{7-\delta}$ 346
Oxygen coordination 83
Oxygen deficiency 89
Oxygen nonstoichiometry in Bi compounds 115
Oxygen ordering 25
Oxygen stoichiometry
– in $YBa_2Cu_3O_{7-\delta}$ 346
Oxygen vacancies
– in $TlBa_2Ca_2Cu_3O_x$ 144
– in $YBa_2Cu_3O_x$ 320

Pairing above T_c 48, 240
Partial enthalpy of O_2 in $YBa_2Cu_3O_x$ 180
Pb–O layers 124, 272
Peierls insulator 192
Penetration depth
– in $Li_{1+x}Ti_{2-x}O_4$ 65
Phase diagram of Y–Ba–Cu–O 334
Phase stability
– of Bi oxides 93
Phonon spectrum 257
– of $CaBi_2Sr_2Cu_2O_8$ 257
Pressure induced superconductivity
– in $BaMo_6S_8$ 247

Raman spectroscopy
– of Bi compounds 495
– of $Tl_2Ca_2Ba_2Cu_3O_{10}$ 135
– of $TlCa_2Ba_2Cu_3O_9$ 135
– of $YBa_2Cu_3O_{7-\delta}$ 341, 551
Resistivity
– normal-state of $YBa_2Cu_3O_x$ 320
– of $SrTiO_3$ 48
– temperature dependence of $BaMo_6S_8$ 247
RVB state 209

Scaling behaviour near T_c 164
Single crystal growth
– of $Bi_2Sr_2CaCu_2O_8$ 260
– of $YBa_2Cu_3O_{7-\delta}$ 189
Small particles 1
– diamagnetic screening 149
Specific heat at T_c 395
– in $BiPb_{0.3}SrCaCu_2O_{5.8}$ 375
– in $REBa_2Cu_3O_{6.9}$ 375
– in $Tl_2Ba_2Cu_2O_8$ 375
Spin-density waves 221
Strong-coupling BCS theory 4
Structure
– of $Bi_{1.6}Pb_{0.4}Ca_2Sr_2Cu_3O_y$ 491
– of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10+\delta}H_x$ 263
– of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$ 531
– of $Bi_2Sr_2CaCu_2O_{8+\delta}H_x$ 263
– of $Bi_2Sr_2CaCu_2O_{8.2}$ 502
– of $Bi_2Sr_2Y_{1-x}Ce_xCu_2O_{8+\delta}$ 531
– of $Bi_2Sr_{2-x}La_xYCu_2O_{8+\delta}$ 531
– of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ 370
– of $Bi_4Sr_8Cu_5O_{19+\delta}$ 525
– of $Pb_2Sr_2YCu_3O_8$ 272
– of Pb–Sr–RE–Ca–Cu oxides 124
– of $(Tl,Bi)Sr_2CaCu_2O_y$ 365
– of $Tl_{0.5}Pb_{0.5}Sr_2CaCu_2O_7$ 460
– of $Tl_2Ba_2CuO_6$ 279
– of $TlBa_2Ca_4Cu_5O_x$ 131
– of $YBaSrCu_3O_x$ 358
Surface resistance 1
Susceptibility
– of Bi compounds 240
– of $La_2CuO_{4-\delta}$ 293

Synthesis
– of $Bi_{1.6}Pb_{0.4}Ca_2Sr_2Cu_3O_y$ 491
– of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ 370
– of $(Tl,Bi)Sr_2CaCu_2O_y$ 365
– of $Tl_2Ba_2CuO_6$ 279
– of $TlBa_2Ca_4Cu_5O_x$ 131
– of Y–Ba–Cu–O 334
– of $Yb_3Ba_6Cu_{10}O_x$ 159
– of $Yb_4Ba_8Cu_{13}O_x$ 159
– of $YBa_4Cu_7O_x$ 351

T_c depression
– due to oxygen deficiency 144
– due to Zn doping 483
T_c enhancement
– due to hydrogen absorption 263
– due to oxygen deficiency 279
T_c pressure dependence
– in $Ba_{1-x}K_xBiO_3$ 237
– in Cu–O materials 237
– in $La_2Cu_xO_{4-\delta}$ 446
– in $YBa_2Cu_3O_{6.92}$ 293
– in $YBa_2Cu_3O_{8+\delta}$ 478
T_c suppression by La substitution in $YBa_2Cu_3O_x$ 83
TEM
– in $YBa_4Cu_7O_x$ 351
Tetagonal–orthorombic transition
– in $La_{2-x}M_xCuO_4$ 72
Thermoelectric power
– of $(Ba,K)BiO_3$ 469
– of $YBa_2Cu_3O_x$ 320
Thin films
– of Bi oxides 99
Tunnel junctions 537
Twin-free samples of $YBa_2Cu_3O_{7-\delta}$ 555
Twinning 301
– in $Y_{0.5}Sm_{0.5}Ba_2Cu_3O_{7-\delta}$ 285
Twins 555
Twist boundaries 509

Upper critical field
– in $BaMo_6S_8$ 247
– of $YBa_2Cu_3O_{7-\delta}$ 164

Végard's law
– in oxide superconductors 439
Vibrational frequency 495, 551
– LO phonons 192
– temperature dependence 135
Vibration frequency
– in $YBa_2Cu_3O_{7-\delta}$ 341
Vortex diffusion 520
Vortex lattice instability 520

Weak links 431
Weak-link superconductor 325

XAS 260

MATERIALS INDEX TO VOLUME 157

$(Ba,K)BiO_3$
- Hall effect 469
- isotope effect 469
- thermoelectric power 469

$Ba_{1-x}K_xBiO_3$
- electron–phonon interaction 192
- isotope effect 192
- T_c pressure dependence 237

$Ba_{1-x}K_xBiO_{3-\delta}$
- electron diffraction 228
- HREM 228
- modulated structure 228

$BaMo_6S_8$
- pressure induced superconductivity 247
- resistivity temperature dependence 247
- upper critical field 247

Bi, Pb–Sr–Ca–Cu oxide
- Meissner effect 267

$Bi_{1.6}Pb_{0.4}Ca_2Sr_2Cu_3O_y$
- structure 491
- synthesis 491

$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10+\delta}H_x$
- Meissner effect 263
- structure 263

$Bi_2CaSr_2Cu_2O_8$
- neutron diffraction 515
- O–O separation 515

$Bi_2Sr_2Ca_{1-x}Y_xCu_2O_{8+\delta}$
- modulated structure 315
- NQR 315
- structure 531

$Bi_2Sr_2CaCu_2O_8$
- single crystal growth 260
- XAS 260

$Bi_2Sr_2CaCu_2O_{8+\delta}$
- magnetization 520

$Bi_2Sr_2CaCu_2O_{8+\delta}H_x$
- Meissner effect 263
- structure 263

$Bi_2Sr_2CaCu_2O_{8.2}$
- HREM 502
- structure 502

$Bi_2Sr_2Y_{1-x}Ce_xCu_2O_{8+\delta}$
- structure 531

$Bi_2Sr_{2-x}La_xYCu_2O_{8+\delta}$
- structure 531

$Bi_2Sr_{3-x}Y_xCu_2O_{8+y}$
- electron diffraction 115

$Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$
- Meissner effect 370
- structure 370
- synthesis 370

$Bi_4Sr_8Cu_5O_{19+\delta}$
- structure 525

Bi–Sr–Ca–Cu oxide
- lower critical field 251

Bi compounds
- Raman spectroscopy 495

$BiPb_{0.3}SrCaCu_2O_{5.8}$
- Meissner effect 375
- specific heat at T_c 375

$BiSrCaCu_2O_{6-\delta}$
- AC susceptibility 108

$CaBi_2Sr_2Cu_2O_8$
- phonon spectrum 257

$HoBa_2Cu_3O_x$
- crystal-field splitting 58
- inelastic neutron scattering 58

$La_{1.7}Sr_{0.16}Pb_{0.14}CuO_4$
- metal–insulator transition 301
- neutron diffraction 301
- orthorhombic–tetragonal transition 301

$La_{1.7}Sr_{0.3}CuO_4$
- neutron diffraction 301
- orthorhombic–tetragonal transition 301

$La_{1.9}Ca_{1.1}Cu_2O_6$
- interaction distances 89
- neutron diffraction 89

$La_2CuO_{4-\delta}$
- susceptibility 293

$La_2Cu_xO_{4-\delta}$
- T_c pressure dependence 446

$La_{2-x}M_xCuO_4$
- tetagonal–orthorombic transition 72

$La_{2-x}Sr_xCuO_4$
- NQR 307

La-doped $YBa_2Cu_3O_x$
- Hall coefficient 83

$Li_{1+x}Ti_{2-x}O_4$
- NMR of ^7Li 65
- nuclear relaxation 65
- penetration depth 65

Nd_2CuO_4
- bandstructure 571
- density of states 571

$Nd_{2-x}Ce_xCuO_4$
- Fermi surface 571

$Pb_2Sr_2Y_{1-x}Ca_xCu_3O_8$
- HREM 509

$Pb_2Sr_2YCu_3O_8$
- neutron diffraction 272
- structure 272

Pb–Sr–RE–Ca–Cu oxides
- interatomic distances 124
- structure 124

$REBa_2Cu_3O_{6.9}$
- Meissner effect 375
- specific heat at T_c 375

$SrTiO_3$
- resistivity 48

$(Tl,Bi)Sr_2CaCu_2O_y$
- Meissner effect 365
- structure 365
- synthesis 365

$Tl_{0.5}Pb_{0.5}Sr_2CaCu_2O_7$
- HREM 460
- structure 460

$Tl_2Ba_2Cu_2O_8$
- Meissner effect 375
- specific heat at T_c 375

$Tl_2Ba_2CuO_6$
- structure 279
- synthesis 279

$Tl_2Ca_2Ba_2Cu_3O_{10}$
- Raman spectroscopy 135

$TlBa_2Ca_2Cu_3O_x$
- oxygen vacancies 144

$TlBa_2Ca_4Cu_5O_x$
- structure 131
- synthesis 131

$TlCa_2Ba_2Cu_3O_9$
- Raman spectroscopy 135

$Y_{0.5}Sm_{0.5}Ba_2Cu_3O_{7-\delta}$
- critical fluctuations 285

- twinning 285
Y–Ba–Cu–O
- phase diagram of 334
$Yb_3Ba_6Cu_{10}O_x$
- synthesis 159
$Yb_4Ba_8Cu_{13}O_x$
- synthesis 159
$YBa_2Cu_{2.8}Zn_{0.2}O_{7-\delta}$
- EXAFS 483
- neutron diffraction 483
$YBa_2Cu_3O_{6.92}$
- T_c pressure dependence 293
$YBa_2Cu_3O_7$
- Knight shift 561
- NMR 561
$YBa_2Cu_3O_{7-\delta}$
- FIR reflectance 551
- growth spirals 189
- infrared spectroscopy 346
- magnetization 425
- oxidation activity 346
- oxygen stoichiometry 346
- Raman spectroscopy 341, 551
- single crystal growth 189
- upper critical field 164
- vibration frequency 341
$YBa_2Cu_3O_{8+\delta}$
- T_c pressure dependence 478
$YBa_2Cu_3O_x$
- normal-state resistivity 320
- orthorhombic–tetragonal transition 180
- oxygen vacancies 320
- thermoelectric power 320
$YBa_4Cu_7O_x$
- grain-boundary phases 351
- synthesis 351
- TEM 351
$YBaSrCu_3O_x$
- Hall effect 358